

Homework 1

Due Friday, Sep 14, 2018 at 8pm

Use the following commands to download and unpack the distribution code:

```
$ wget https://eecs490.github.io/homework/hw1/starter-files.tar.gz
$ tar xzf starter-files.tar.gz
```

1. *Python practice.* Implement a simulation of [Conway's Game of Life](#) in Python3. While the original simulation is on an infinite grid, your implementation should be on a finite grid. Edge cells have fewer neighbors but should otherwise follow the same rules as any other cell.

Place your code in a file named `life.py`. Your simulation must have the following interface:

```
def simulate(rows, cols, steps, live_cells):
    """Run Conway's Game of Life on a finite (rows x cols) grid.

    Runs the simulation for the number of time steps specified by
    the steps parameter. Initializes the grid such that all cells
    are dead except those listed in live_cells, which should be a
    sequence of (row, column) pairs. Prints the grid after each
    time step.
    """
    ...
```

When printing the grid, you should first print a line consisting of `cols + 2` dashes (-). Each row should then start and end with a pipe (|), each live cell should be printed as an asterisk (*), and each dead cell should be printed as a space. Finally, print another line consisting of `cols + 2` dashes followed by another empty line.

We have provided a test case in `life_test.py` and the expected output in `life_test.correct`.

You may use the [NumPy](#) library if you wish.

Hint: It is possible to implement the algorithm without special cases for the borders. Think about storing the data in a $(rows + 2) \times (cols + 2)$ grid rather than in a $rows \times cols$ grid.

2. *Python classes and special methods.* Read through the section in the Python reference on [special methods](#), particularly the subsections on basic customization and emulating container types. Also read the section in the reference on [iterators](#). Then complete the definition of the `Range` class, which is a simplified version of Python's built-in `range` type, in `range.py`.

The `Range` class is a container representing a fixed sequence of integers. It has the following methods:

- `__init__`: The constructor, which takes in the start, stop, and optional step. If the step is not given, it defaults to 1. We will only handle the case where the step is a positive integer.
- `__iter__`: Returns an iterator over the range, represented as a `RangeIter` object.
- `__len__`: Returns the number of integers in the range.
- `__contains__`: Returns whether or not the given integer is a member of the range.

The `RangeIter` class implements the iterator interface and is used for iterating over a `Range`.

Once you have completed both classes, you can run the tests in the `test()` function from the command line:

```
$ python3 range.py
```

3. *Literals and operators.* Implement a `BitVector` type in C++17, representing a growable sequence of booleans. Your `BitVector` must support the following operations:

- String literals that end with the `_bv` suffix construct a `BitVector` from the string with bits in order from left to right. A `0` character specifies `false` and a `1` character specifies `true`. Example:

```
"1010"_bv --> [ true, false, true, false ]
```

- The `size()` member function returns the size of the `BitVector`. The return type should be `size_t`.
- The `push_back()` member function takes in a `bool` and appends it to the end of the `BitVector`.
- The `[]` operator returns the boolean at the given position. You may return by value or reference (i.e. you do not have to support modifying a `BitVector` using the `[]` operator).
- The bitwise operators `&`, `|`, and `^`, when applied to two `BitVectors`, should result in a `BitVector` that consists of the AND, OR, and XOR of the two `BitVectors`, respectively. If they differ in size, then the operators should treat the smaller as if it were padded on the right with zeros.
- The `<<` stream insertion operator when applied to a `BitVector` should insert each boolean as a `0` or `1`. Example:

```
cout << "1010"_bv; --> prints 1010
```

Write your code in `BitVector.h`. We have provided a test case in `BitVector_test.cpp` and expected output in `BitVector_test.correct`.

You may use any standard libraries you like.

4. *Scope*. For each of the following snippets of C++17 code, determine what value is printed when the code is executed. If the result is indeterminate according to the [C++17 standard](#), write "undefined". If the code should result in a compilation error, write "error". For each case, write a brief (1-2 sentence) explanation of why the resulting value is printed or is undefined, or why the code is erroneous.

```
a) int main() {
    int x = 3;
    {
        int y = x;
        int x = 4;
        cout << x + y;
    }
}
```

```
b) int main() {
    int x = 3;
    {
        int y = x, x;
        cout << x;
    }
}
```

```
c) int main() {
    int x = 3;
    {
        int y = x, x;
        cout << y;
    }
}
```

```
d) int main() {
    int x = 3;
    {
        int y = x, x = y;
        cout << x + y;
    }
}
```

```
e) int main() {
    int x = 3;
```

```
{
    int x = x;
    cout << x;
}
}
```

f) **using** x = **int**;

```
int main() {
    x x = 3;
    cout << x;
}
```

g) **using** x = **int**;

```
int main() {
    x x = x;
    cout << x;
}
```

h) **using** x = **int**;

```
int main() {
    x x = 3, y = x;
    cout << x + y;
}
```

i) **using** x = **int**;

```
int main() {
    x x = 3;
    x y = x;
    cout << x + y;
}
```

Submission

Place your answer to question 4 in a PDF file named `hw1.pdf`. Make sure to list any other students with whom you discussed the homework, as per course policy in the syllabus. Submit `life.py`, `range.py` and `BitVector.h` to the autograder before the deadline. Submit `hw1.pdf` to Gradescope before the deadline.